



QQGQ.E183223
Power Supplies, Information Technology Equipment Including Electrical Business Equipment

[Page Bottom](#)

Power Supplies, Information Technology Equipment Including Electrical Business Equipment

[See General Information for Power Supplies, Information Technology Equipment Including Electrical Business Equipment](#)

MEAN WELL ENTERPRISES CO LTD

E183223

28 W UQUAN 3RD RD WUGU DIST
 NEW TAIPEI, 248 TAIWAN

AC/DC Switching adapters, Model(s) GS12Uy!

AC/DC Switching adapters, Model(s) GS120AX, GST120AX (x= 12, 15, 20, 24, 48), GS160AX (X= 12, 15, 20, 24, 48), GS160A24-R7BTE, GS18A03, GS18A05, GS18A07, GS18A09, GS18A12, GS18A15, GS18A18, GS18A24, GS18A28, GS18A48, GS25A03, GS25A05, GS25A07, GS25A09, GS25A12, GS25A15, GS25A18, GS25A24, GS25A28, GS25A48

GS25B17, where w = 18 or 25, x = B or U, and y can be 03, 05, 07, 09, 12, 15, 18, 24, 28 or 48

GSM 40A48-CIS, GST18A05, GST18A07, GST18A09, GST18A12, GST18A15, GST18A18, GST18A24, GST18A28, GST18A48

GST18XY, where X = B or U and Y = 05, 07, 09, 12, 15, 18, 24, 28 or 48

GST25A05, GST25A07, GST25A09, GST25A12, GST25A15, GST25A18, GST25A24, GST25A28, GST25A48

GST25XY, where X = B or U and Y = 05, 07, 09, 12, 15, 18, 24, 28 or 48

GST36X05, GST36X09, GST36X12, GST36X24, GST36X48

GSwxy, where w = 18 or 25, x = B or U, and y can be 03, 05, 07, 09, 12, 15, 18, 24, 28 or 48

Adapters, Model(s) GS05U-USB

Direct plug-in adapters, Model(s) SGA60Uy-zzz (c)

Direct plug-in switching power adapters, Model(s) ES25Uyy-zzz, where yy can be 05, 07, 09, 12, 15, 18, 24, 30, 36, or 48, zzz can be 0-9.

Power adapters, Model(s) GE12I03-zzz(\$), GE12I05-zzz(\$), GE12I07-zzz(\$), GE12I09-zzz(\$), GE12I12-zzz(\$), GE12I15-zzz(\$), GE12I18-zzz(\$), GE12I24-zzz(\$)

GE18I03-zzz(\$), GE18I05-zzz(\$), GE18I07-zzz(\$), GE18I09-zzz(\$), GE18I12-zzz(\$), GE18I15-zzz(\$), GE18I18-zzz(\$)

GE18I24-zzz(\$), GE18I30-zzz(\$), GE18I36-zzz(\$), GE18I48-zzz(\$), GE24I03-zzz(\$), GE24I05-zzz(\$), GE24I07-zzz(\$), GE24I09-zzz(\$)

GE24I12-zzz(\$), GE24I15-zzz(\$), GE24I18-zzz(\$), GE24I24-zzz(\$), GE24I30-zzz(\$), GE24I36-zzz(\$)

GE24I48-zzz(\$), GE30I12-zzz(\$), GE30I15-zzz(\$), GE30I18-zzz(\$), GE30I24-zzz(\$), GE30I30-zzz(\$), GE30I36-zzz(\$), GE30I48-zzz(\$)

P25x-zzz, P50x-y-zzz, PSU66x-y-zzz (a)

Power supplies, Model(s) ES-3 (Class I), ES-3A (Class II), ES18XY-ZZZ, IA-60a, LPP-150-12M, Pw -120N-yCz*, Pw -120P-yCz*, SP-125CL

POWERDSINE 8001, Model(s) PD-8001-xxxxxxxx, PD-8001/AC-xxxxxxxx, POWERDSINE 8001

Switching adapters, Model(s) GST160A12, GST160A15, GST160A20, GST160A48, GST160Ax (#), GST40Ax, GST60Ax (b)

Switching mode power supplies, Model(s) GC330A36, GC330A48, GS220A12, GS220A15, GS220A20, GS220A24, GS220A48, GS220A48-AG1, GS280A12, GS280A15, GS280A20, GS280A24, GS280A48, GST280A12, GST280A15, GST280A20, GST280A24, GST280A48

Switching power adapters, Model(s) AS-120PX Series

ES25Byy-zzz, where yy can be 05, 07, 09, 12, 15, 18, 24, 30, 36, or 48, zzz can be 0-9.

ES25xyy-zzz, where x can be A or C, yy can be 05, 07, 09, 12, 15, 18, 24, 30, 36, or 48, zzz can be 0-9.

GC30x-y, (where x = B or U; y = 0, 1, 2, 4, 5, 6 or 11)

GS40A05, GS40A07, GS40A09, GS40A12, GS40A15, GS40A18, GS40A24, GS40A48, GS60A05, GS60A07, GS60A09, GS60A12, GS60A15, GS60A18, GS60A24, GS60A48, GS60A56-NV1, GS60A48-CIS

GS90A12, GST90A12, GS90A15, GST90A15, GS90A19, GST90A19, GS90A24, GST90A24, GS90A48, GST90A48, GS90A56-NV1, GS90A24-R7BVS

Switching power supplies, Model(s) GS06U-0-ZZZ, GS06U-1-1-ZZZ, GS06U-1-ZZZ, GS06U-2-ZZZ, GS06U-3-zzz, GS06U-4-ZZZ, GS06U-5-ZZZ, GS06U-6-ZZZ, GS06U-7-ZZZ, GS06U-8-ZZZ, GS15z-0-yyy, GS15z-1-1-yyy, GS15z-1-yyy, GS15z-2-yyy, GS15z-3-yyy, GS15z-4-yyy, GS15z-5-yyy, GS15z-6-yyy, GS15z-7-yyy, GS15z-8-yyy, GST220A12, GST220A15, GST220A20, GST220A24, GST220A48, GST220A48-AG1, SGA18xy-zzz (#), SGA40xy-zzz (##)

! - W here y can be 05, 07, 09, 12, 15, 18 or 24 and denotes the output rating.

(# #) - x can be U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z, or blank for marketing purpose; U = Wall mount American plug; I = American interchangeable plug

(#) - x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z, or blank form arketing purpose; B = IEC-320 C8 AC Inlet; U = Wallm ount Am erican plug; I = Am erican interchangeable plug

(\$) - zzz= 0~9, A~Z or blank.

(%) - W here x m aybe 12, 15, 20, 24 or 48

(a) - x = A,B,C,D; y = 0-8; z = 0-9, A-Z or blank

(b) - x can be 05, 07, 09, 12, 15, 18, 24, 48

(c) - y can be 05, 07, 09, 12, 15, 18, 24,28,48 ; -zzz can be 0-9 ,A-Z , - or blank form arketing purpose.

* - W here w = S, A, or B; y = 13, 27, or 54; z = any alphanum eric or blank.

X - can be A, B, C, E or U.

YY - can be 03, 05, 07, 09, 12, 15, 18, 24, 30, 48.

Last Updated on 2015-07-30

[Questions?](#)

[Print this page](#)

[Term s of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a com pany's nam e or product in this database does not in itself assure that products so identified have been m anufactured under UL's Follow -Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow -Up Service. Always bok for the Mark on the product.

UL perm its the reproduction of the m aterial contained in the Online Certification Directory subject to the follo ing conditions: 1. The Guide Infom ation, Assem bles, Constructions, Designs, System s, and/or Certifications (files) m ust be presented in their entirety and in a non-m isleading m anner, w ithout any m anipulation of the data (or draw ings). 2. The statem ent "Reprinted from the Online Certifications Directory w ith perm ission from UL" m ust appear adjacent to the extracted m aterial. In addition, the reprinted m aterial m ust include a copyright notice in the follo ing form at: "© 2015 UL LLC".



QQGQ7.E183223
Power Supplies, Information Technology Equipment Including Electrical Business Equipment Certified for Canada

[Page Bottom](#)

Power Supplies, Information Technology Equipment Including Electrical Business Equipment Certified for Canada

[See General Information for Power Supplies, Information Technology Equipment Including Electrical Business Equipment Certified for Canada](#)

MEAN WELL ENTERPRISES CO LTD

E183223

28 W UQUAN 3RD RD WUGU DIST
 NEW TAIPEI, 248 TAIWAN

AC/DC Switching adapters, Model(s) GS12Uy!

AC/DC Switching adapters, Model(s) GS120AX, GST120AX (x= 12, 15, 20, 24, 48), GS160AX (X= 12,15,20,24,48), GS160A24-R7BTE, GS18A03, GS18A05, GS18A07, GS18A09, GS18A12, GS18A15, GS18A18, GS18A24, GS18A28, GS18A48, GS25A03, GS25A05, GS25A07, GS25A09, GS25A12, GS25A15, GS25A18, GS25A24, GS25A28, GS25A48

GS25B17, where w = 18 or 25, x = B or U, and y can be 03, 05, 07, 09, 12, 15, 18, 24, 28 or 48

GSM 40A48-CIS, GST18A05, GST18A07, GST18A09, GST18A12, GST18A15, GST18A18, GST18A24, GST18A28, GST18A48

GST18XY, where X = B or U and Y = 05, 07, 09, 12, 15, 18, 24, 28 or 48

GST25A05, GST25A07, GST25A09, GST25A12, GST25A15, GST25A18, GST25A24, GST25A28, GST25A48

GST25XY, where X = B or U and Y = 05, 07, 09, 12, 15, 18, 24, 28 or 48

GST36X05, GST36X09, GST36X12, GST36X24, GST36X48

GSwxy, where w = 18 or 25, x = B or U, and y can be 03, 05, 07, 09, 12, 15, 18, 24, 28 or 48

Adapters, Model(s) GS05U-USB

Direct plug-in adapters, Model(s) SGA60Uy-zzz (c)

Direct plug-in switching power adapters, Model(s) ES25Uyy-zzz, where yy can be 05, 07, 09, 12, 15, 18, 24, 30, 36, or 48, zzz can be 0-9.

Power adapters, Model(s) GE12I03-zzz(\$), GE12I05-zzz(\$), GE12I07-zzz(\$), GE12I09-zzz(\$), GE12I12-zzz(\$), GE12I15-zzz(\$), GE12I18-zzz(\$), GE12I24-zzz(\$)

GE18I03-zzz(\$), GE18I05-zzz(\$), GE18I07-zzz(\$), GE18I09-zzz(\$), GE18I12-zzz(\$), GE18I15-zzz(\$), GE18I18-zzz(\$)

GE18I24-zzz(\$), GE18I30-zzz(\$), GE18I36-zzz(\$), GE18I48-zzz(\$), GE24I03-zzz(\$), GE24I05-zzz(\$), GE24I07-zzz(\$), GE24I09-zzz(\$)

GE24I12-zzz(\$), GE24I15-zzz(\$), GE24I18-zzz(\$), GE24I24-zzz(\$), GE24I30-zzz(\$), GE24I36-zzz(\$)

GE24I48-zzz(\$), GE30I12-zzz(\$), GE30I15-zzz(\$), GE30I18-zzz(\$), GE30I24-zzz(\$), GE30I30-zzz(\$), GE30I36-zzz(\$), GE30I48-zzz(\$)

P25x-zzz, P50x-y-zzz, PSU66x-y-zzz (a)

Power supplies, Model(s) ES-3 (Class I), ES-3A (Class II), ES18XY-ZZZ, IA-60a, LPP-150-12M, Pw -120N-yCz*, Pw -120P-yCz*, SP-125CL

POWERDSINE 8001, Model(s) PD-8001-xxxxxxxxxx, PD-8001/AC-xxxxxxxxxx, POW ERDSINE 8001

Switching adapters, Model(s) GST160A12, GST160A15, GST160A20, GST160A48, GST160Ax (%), GST40Ax, GST60Ax (b)

Switching mode power supplies, Model(s) GC330A36, GC330A48, GS220A12, GS220A15, GS220A20, GS220A24, GS220A48, GS220A48-AG1, GS280A12, GS280A15, GS280A20, GS280A24, GS280A48, GST280A12, GST280A15, GST280A20, GST280A24, GST280A48

Switching power adapters, Model(s) AS-120PX Series

ES25Byy-zzz, where yy can be 05, 07, 09, 12, 15, 18, 24, 30, 36, or 48, zzz can be 0-9.

ES25xyy-zzz, where x can be A or C, yy can be 05, 07, 09, 12, 15, 18, 24, 30, 36, or 48, zzz can be 0-9.

GC30x-y, (where x = B or U; y = 0, 1, 2, 4, 5, 6 or 11)

GS40A05, GS40A07, GS40A09, GS40A12, GS40A15, GS40A18, GS40A24, GS40A48, GS60A05, GS60A07, GS60A09, GS60A12, GS60A15, GS60A18, GS60A24, GS60A48, GS60A56-NV1, GS60A48-CIS

GS90A12, GST90A12, GS90A15, GST90A15, GS90A19, GST90A19, GS90A24, GST90A24, GS90A48, GST90A48, GS90A56-NV1, GS90A24-R7BVS

Switching power supplies, Model(s) GS06U-0-ZZZ, GS06U-1-1-ZZZ, GS06U-1-ZZZ, GS06U-2-ZZZ, GS06U-3-zzz, GS06U-4-ZZZ, GS06U-5-ZZZ, GS06U-6-ZZZ, GS06U-7-ZZZ, GS06U-8-ZZZ, GS15z-0-yyy, GS15z-1-1-yyy, GS15z-1-yyy, GS15z-2-yyy, GS15z-3-yyy, GS15z-4-yyy, GS15z-5-yyy, GS15z-6-yyy, GS15z-7-yyy, GS15z-8-yyy, GST220A12, GST220A15, GST220A20, GST220A24, GST220A48, GST220A48-AG1, SGA18xy-zzz (#), SGA40xy-zzz (##)

! - W here y can be 05, 07, 09, 12, 15, 18 or 24 and denotes the output rating.

(##) - x can be U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z, or blank for marketing purpose; U = Wall mount American plug; I = American interchangeable plug

(#) - x can be B, U or I; y can be 05, 07, 09, 12, 15, 18, 24, 28, 48; -zzz can be 0-9, A-Z, or blank for marketing purpose; B = IEC-320 C8 AC Inlet; U = Wall mount American plug; I = American interchangeable plug

(\$) - zzz= 0~9, A~Z or blank.

(%) - Where x maybe 12, 15, 20, 24 or 48

(a) - x = A,B,C,D; y = 0-8; z = 0-9, A-Z or blank

(b) - x can be 05, 07, 09, 12, 15, 18, 24, 48

(c) - y can be 05, 07, 09, 12, 15, 18, 24,28,48 ; -zzz can be 0-9 ,A-Z , - or blank for marketing purpose.

* - Where w = S, A, or B; y = 13, 27, or 54; z = any alphanumeric or blank.

X - can be A, B, C, E or U.

YY - can be 03, 05, 07, 09, 12, 15, 18, 24, 30, 48.

Last Updated on 2015-07-30

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".