



## FKSZ2.E334687

## Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

[Page Bottom](#)

## Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

[See General Information for Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component](#)**MEAN WELL ENTERPRISES CO LTD**

E334687

28 WUQUAN 3RD RD WUGU DIST  
NEW TAIPEI, 248 TAIWAN**LED drivers, Class 2 isolated output, "HLG-100-YZ Series"**, Model(s) HLG-100-20Z\*, HLG-100-24Z\*, HLG-100-30Z\*, HLG-100-36Z\*, HLG-100-42Z\*, HLG-100-48Z\*, HLG-100-54Z\***LED drivers, Class 2 isolated output, "HLG-100H-YZ Series"**, Model(s) HLG-100H-20Z\*, HLG-100H-24Z\*, HLG-100H-30Z\*, HLG-100H-36Z\*, HLG-100H-42Z\*, HLG-100H-48Z\*, HLG-100H-54Z\***LED drivers, Class 2 isolated output with glue**, Model(s) CLG-100-12, CLG-100-15, CLG-100-20, CLG-100-24, CLG-100-24DLU, CLG-100-24LU, CLG-100-27, CLG-100-36, CLG-100-48**LED drivers, Class 2 isolated output with potting compound**, Model(s) CLG-60-12, CLG-60-15, CLG-60-20, CLG-60-24, CLG-60-27, CLG-60-36, CLG-60-48**LED drivers, Class 2 isolated output without glue**, Model(s) CLN-100-12, CLN-100-15, CLN-100-20, CLN-100-24, CLN-100-27, CLN-100-36, CLN-100-48, PLN-100-12, PLN-100-15, PLN-100-20, PLN-100-24, PLN-100-27, PLN-100-36, PLN-100-48**LED drivers, Class 2 isolated output without potting compound**, Model(s) CLN-60-12, CLN-60-15, CLN-60-20, CLN-60-24, CLN-60-27, CLN-60-36, CLN-60-48, PLN-45-12, PLN-45-15, PLN-45-20, PLN-45-24, PLN-45-27, PLN-45-36, PLN-45-48, PLN-60-12, PLN-60-15, PLN-60-20, PLN-60-24, PLN-60-27, PLN-60-36, PLN-60-48**LED drivers, other than Class 2, "HLG-120-XZ Series"**, Model(s) HLG-120-12Z\*, HLG-120-15Z\*, HLG-120-20Z\*, HLG-120-24Z\*, HLG-120-30Z\*, HLG-120-36Z\*, HLG-120-42Z\*, HLG-120-48Z\*, HLG-120-54Z\***LED drivers, other than Class 2, "HLG-120H-XZ Series"**, Model(s) HLG-120H-12Z\*, HLG-120H-15Z\*, HLG-120H-20Z\*, HLG-120H-24Z\*, HLG-120H-30Z\*, HLG-120H-36Z\*, HLG-120H-42Z\*, HLG-120H-48Z\*, HLG-120H-54Z\***LED drivers, other than Class 2, "HLG-150-YZ Series"**, Model(s) HLG-150-12Z\*, HLG-150-15Z\*, HLG-150-20Z\*, HLG-150-24Z\*, HLG-150-30Z\*, HLG-150-36Z\*, HLG-150-42Z\*, HLG-150-48Z\*, HLG-150-54Z\***LED drivers, other than Class 2, "HLG-150H-YZ Series"**, Model(s) HLG-150H-12Z\*, HLG-150H-15Z\*, HLG-150H-20Z\*, HLG-150H-24Z\*, HLG-150H-30Z\*, HLG-150H-36Z\*, HLG-150H-42Z\*, HLG-150H-48Z\*, HLG-150H-54Z\***LED drivers, other than Class 2, "HLG-185-YZ Series"**, Model(s) HLG-185-12Z\*, HLG-185-15Z\*, HLG-185-20Z\*, HLG-185-24Z\*, HLG-185-30Z\*, HLG-185-36Z\*, HLG-185-42Z\*, HLG-185-48Z\*, HLG-185-54Z\***LED drivers, other than Class 2, "HLG-185H-YZ Series"**, Model(s) HLG-185H-12Z\*, HLG-185H-15Z\*, HLG-185H-20Z\*, HLG-185H-24Z\*, HLG-185H-30Z\*, HLG-185H-36Z\*, HLG-185H-42Z\*, HLG-185H-48Z\*, HLG-185H-54Z\***LED drivers, other than Class 2**, Model(s) HLG-240-12Z+, HLG-240-15Z+, HLG-240-20Z+, HLG-240-24Z+, HLG-240-30Z+, HLG-240-36Z+, HLG-240-42Z+, HLG-240-48Z+, HLG-240-54Z+, HLG-240H-12Z+, HLG-240H-15Z+, HLG-240H-20Z+, HLG-240H-24Z+, HLG-240H-30Z+, HLG-240H-36Z+, HLG-240H-42Z+, HLG-240H-48Z+, HLG-240H-54Z+**LED drives other than Class 2**, Model(s) CLG-150-12, CLG-150-12A, CLG-150-12B, CLG-150-12C, CLG-150-15, CLG-150-15A, CLG-150-15B, CLG-150-15C, CLG-150-20, CLG-150-20A, CLG-150-20B, CLG-150-20C, CLG-150-24, CLG-150-24A, CLG-150-24B, CLG-150-24C, CLG-150-30, CLG-150-30A, CLG-150-30B, CLG-150-30C, CLG-150-36, CLG-150-36A, CLG-150-36B, CLG-150-36C, CLG-150-48, CLG-150-48A, CLG-150-48B, CLG-150-48C**LED power supplies, Class 2 isolated, "CEN-60-Y Series"**, Model(s) CEN-60-12, CEN-60-15, CEN-60-20, CEN-60-24, CEN-60-30, CEN-60-36, CEN-60-42, CEN-60-48, CEN-60-54**LED power supplies, Class 2 isolated, "CEN-75-Y Series"**, Model(s) CEN-75-15, CEN-75-20, CEN-75-24, CEN-75-30, CEN-75-36, CEN-75-42, CEN-75-48, CEN-75-54**LED power supplies, Class 2 isolated**, Model(s) CEN-100-20, CEN-100-24, CEN-100-30, CEN-100-36, CEN-100-42, CEN-100-48, CEN-100-54, LPF-60-24LU, LPF-60-30LU**LED power supplies, Class 2 isolated**, Model(s) LPF-XY-ZQ, where X may be 40 or 60, Y may be blank or D; Q may be blank or LU ; and Z may be 12, 20, 24, 30, 36 and 42**LED power supplies, Class 2 isolated**, Model(s) LPF-XY-ZQ, where X may be 40 or 60, Y may be blank or D; Q may be blank or LU ; and Z may


be 48 and 54

**LED power supplies, Class 2 isolated with enclosure**, Model(s) PLN-20-20, PLN-20-24, PLN-20-30, PLN-20-36, PLN-20-42, PLN-20-48

**LED power supplies, Class 2 isolated without enclosure**, Model(s) PLP-20-20, PLP-20-24, PLP-20-30, PLP-20-36, PLP-20-42, PLP-20-48

\* - Where Z can be blank, A or B.

+ - Where Z can be blank, A, B or C.

Marking: Company name, model designation, and Recognized Component Mark,  .  
Last Updated on 2011-04-14

---

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright ?2011 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2011 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.



**FKSZ8.E334687****Drivers for Light-emitting-diode Arrays, Modules and Controllers Certified for Canada - Component**[Page Bottom](#)**Drivers for Light-emitting-diode Arrays, Modules and Controllers Certified for Canada - Component**[See General Information for Drivers for Light-emitting-diode Arrays, Modules and Controllers Certified for Canada - Component](#)**MEAN WELL ENTERPRISES CO LTD**

E334687

28 WUQUAN 3RD RD WUGU DIST  
NEW TAIPEI, 248 TAIWAN**LED drivers, Class 2 isolated output, "HLG-100-YZ Series"**, Model(s) HLG-100-20Z\*, HLG-100-24Z\*, HLG-100-30Z\*, HLG-100-36Z\*, HLG-100-42Z\*, HLG-100-48Z\*, HLG-100-54Z\***LED drivers, Class 2 isolated output, "HLG-100H-YZ Series"**, Model(s) HLG-100H-20Z\*, HLG-100H-24Z\*, HLG-100H-30Z\*, HLG-100H-36Z\*, HLG-100H-42Z\*, HLG-100H-48Z\*, HLG-100H-54Z\***LED drivers, Class 2 isolated output with glue**, Model(s) CLG-100-12, CLG-100-15, CLG-100-20, CLG-100-24, CLG-100-24DLU, CLG-100-24LU, CLG-100-27, CLG-100-36, CLG-100-48**LED drivers, Class 2 isolated output with potting compound**, Model(s) CLG-60-12, CLG-60-15, CLG-60-20, CLG-60-24, CLG-60-27, CLG-60-36, CLG-60-48**LED drivers, Class 2 isolated output without glue**, Model(s) CLN-100-12, CLN-100-15, CLN-100-20, CLN-100-24, CLN-100-27, CLN-100-36, CLN-100-48, PLN-100-12, PLN-100-15, PLN-100-20, PLN-100-24, PLN-100-27, PLN-100-36, PLN-100-48**LED drivers, Class 2 isolated output without potting compound**, Model(s) CLN-60-12, CLN-60-15, CLN-60-20, CLN-60-24, CLN-60-27, CLN-60-36, CLN-60-48, PLN-45-12, PLN-45-15, PLN-45-20, PLN-45-24, PLN-45-27, PLN-45-36, PLN-45-48, PLN-60-12, PLN-60-15, PLN-60-20, PLN-60-24, PLN-60-27, PLN-60-36, PLN-60-48**LED drivers, other than Class 2, "HLG-120-XZ Series"**, Model(s) HLG-120-12Z\*, HLG-120-15Z\*, HLG-120-20Z\*, HLG-120-24Z\*, HLG-120-30Z\*, HLG-120-36Z\*, HLG-120-42Z\*, HLG-120-48Z\*, HLG-120-54Z\***LED drivers, other than Class 2, "HLG-120H-XZ Series"**, Model(s) HLG-120H-12Z\*, HLG-120H-15Z\*, HLG-120H-20Z\*, HLG-120H-24Z\*, HLG-120H-30Z\*, HLG-120H-36Z\*, HLG-120H-42Z\*, HLG-120H-48Z\*, HLG-120H-54Z\***LED drivers, other than Class 2, "HLG-150-YZ Series"**, Model(s) HLG-150-12Z\*, HLG-150-15Z\*, HLG-150-20Z\*, HLG-150-24Z\*, HLG-150-30Z\*, HLG-150-36Z\*, HLG-150-42Z\*, HLG-150-48Z\*, HLG-150-54Z\***LED drivers, other than Class 2, "HLG-150H-YZ Series"**, Model(s) HLG-150H-12Z\*, HLG-150H-15Z\*, HLG-150H-20Z\*, HLG-150H-24Z\*, HLG-150H-30Z\*, HLG-150H-36Z\*, HLG-150H-42Z\*, HLG-150H-48Z\*, HLG-150H-54Z\***LED drivers, other than Class 2, "HLG-185-YZ Series"**, Model(s) HLG-185-12Z\*, HLG-185-15Z\*, HLG-185-20Z\*, HLG-185-24Z\*, HLG-185-30Z\*, HLG-185-36Z\*, HLG-185-42Z\*, HLG-185-48Z\*, HLG-185-54Z\***LED drivers, other than Class 2, "HLG-185H-YZ Series"**, Model(s) HLG-185H-12Z\*, HLG-185H-15Z\*, HLG-185H-20Z\*, HLG-185H-24Z\*, HLG-185H-30Z\*, HLG-185H-36Z\*, HLG-185H-42Z\*, HLG-185H-48Z\*, HLG-185H-54Z\***LED drivers, other than Class 2**, Model(s) HLG-240-12Z+, HLG-240-15Z+, HLG-240-20Z+, HLG-240-24Z+, HLG-240-30Z+, HLG-240-36Z+, HLG-240-42Z+, HLG-240-48Z+, HLG-240-54Z+, HLG-240H-12Z+, HLG-240H-15Z+, HLG-240H-20Z+, HLG-240H-24Z+, HLG-240H-30Z+, HLG-240H-36Z+, HLG-240H-42Z+, HLG-240H-48Z+, HLG-240H-54Z+**LED drives other than Class 2**, Model(s) CLG-150-12, CLG-150-12A, CLG-150-12B, CLG-150-12C, CLG-150-15, CLG-150-15A, CLG-150-15B, CLG-150-15C, CLG-150-20, CLG-150-20A, CLG-150-20B, CLG-150-20C, CLG-150-24, CLG-150-24A, CLG-150-24B, CLG-150-24C, CLG-150-30, CLG-150-30A, CLG-150-30B, CLG-150-30C, CLG-150-36, CLG-150-36A, CLG-150-36B, CLG-150-36C**LED power supplies, Class 2 isolated, "CEN-60-Y Series"**, Model(s) CEN-60-12, CEN-60-15, CEN-60-20, CEN-60-24, CEN-60-30, CEN-60-36, CEN-60-42, CEN-60-48, CEN-60-54**LED power supplies, Class 2 isolated, "CEN-75-Y Series"**, Model(s) CEN-75-15, CEN-75-20, CEN-75-24, CEN-75-30, CEN-75-36, CEN-75-42, CEN-75-48, CEN-75-54**LED power supplies, Class 2 isolated**, Model(s) CEN-100-20, CEN-100-24, CEN-100-30, CEN-100-36, CEN-100-42, CEN-100-48, CEN-100-54, LPF-60-24LU, LPF-60-30LU**LED power supplies, Class 2 isolated**, Model(s) LPF-XY-ZQ, where X may be 40 or 60, Y may be blank or D; Q may be blank or LU; and Z may be 12, 20, 24, 30, 36 and 42


**LED power supplies, Class 2 isolated with enclosure**, Model(s) PLN-20-20, PLN-20-24, PLN-20-30, PLN-20-36, PLN-20-42, PLN-20-48

**LED power supplies, Class 2 isolated without enclosure**, Model(s) PLP-20-20, PLP-20-24, PLP-20-30, PLP-20-36, PLP-20-42, PLP-20-48

\* - Where Z can be blank, A or B.

+ - Where Z can be blank, A, B or C.



Marking: Company name, model designation and Recognized Component Mark for Canada, .  
Last Updated on 2011-04-14

---

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright ?2011 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2011 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

